

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---------------------------------------------------------------------|------------------------------|------------------|---------|------------------|
| S1 | 4 | ("20030177978" "3492213" "3627661" "5759371" "5914022").PN. | USPAT | OR | OFF | 2009/08/04 11:43 |
| S2 | 1 | "5759371".pn. | USPAT | OR | OFF | 2009/08/04 16:14 |
| S3 | 80209 | max\$4 with current | USPAT | OR | OFF | 2009/08/04 16:15 |
| S4 | 0 | S2 and S3 | USPAT | OR | OFF | 2009/08/04 16:15 |
| S5 | 69620 | thickness with temperature | USPAT | OR | OFF | 2009/08/04 16:21 |
| S6 | 0 | S2 and S5 | USPAT | OR | OFF | 2009/08/04 16:21 |
| S7 | 5 | ("20030177978" "3492213" "3627661" "5759371" "5914022").PN. | US-PGPUB; USPAT | OR | OFF | 2009/08/04 16:47 |
| S8 | 0 | S7 and (temperature adj2 sensor) | US-PGPUB; USPAT | OR | OFF | 2009/08/04 16:47 |
| S9 | 2 | S7 and temperature | US-PGPUB; USPAT | OR | OFF | 2009/08/04 16:47 |
| S10 | 4 | ("20030177978" "3492213" "3627661" "5759371" "5914022").PN. | USPAT | OR | OFF | 2009/08/05 11:09 |
| S11 | 0 | S10 and ammeter | USPAT | OR | OFF | 2009/08/05 11:09 |
| S12 | 1 | S10 and density | USPAT | OR | OFF | 2009/08/05 11:15 |
| S13 | 5 | ("20030177978" "3492213" "3627661" "5759371" "5914022").PN. | US-PGPUB; USPAT | OR | OFF | 2009/08/05 11:21 |
| S14 | 1 | "10587104" | US-PGPUB; USPAT | OR | OFF | 2009/08/05 12:44 |
| S15 | 3 | ("3658676" "4452680" "4851102").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:33 |

| | | | | | | |
|-----|-------|----------------------------------------------------------------------|------------------------------|----|-----|---------------------|
| S16 | 19 | horvath-zoltan.in. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:49 |
| S17 | 3 | kern-martin.in. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:49 |
| S18 | 1 | sindlinger-stephen.in. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:49 |
| S19 | 0 | schlecht-juergen.in. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:50 |
| S20 | 0 | schlecht-juergen.in. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:50 |
| S21 | 172 | 324/699.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:50 |
| S22 | 349 | 324/229.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:51 |
| S23 | 95 | 324/635.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:52 |
| S24 | 295 | 324/644.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:52 |
| S25 | 678 | 324/662.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:52 |
| S26 | 2256 | (measur\$3 determin\$3 calculat\$3) with thickness with charge | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:53 |
| S27 | 1 | S26 and S21 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:54 |
| S28 | 0 | S21 and S22 and S23 and S24 and S25 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:54 |
| S29 | 21511 | temperature and pH and (electric\$3 adj2 conduct\$5) | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:55 |
| S30 | 111 | S26 and S29 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:55 |

| | | | | | | |
|-----|-------|---------------------------------|------------------------------|----|-----|---------------------|
| S31 | 1 | S21 and S30 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:55 |
| S32 | 0 | S30 and S22 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:55 |
| S33 | 0 | S30 and S23 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:56 |
| S34 | 0 | S30 and S25 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:56 |
| S35 | 0 | S30 and S24 | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/05 14:56 |
| S36 | 38354 | predetermined with parameter | US-PGPUB; USPAT | OR | OFF | 2009/08/05 14:58 |
| S37 | 0 | S36 and S30 | US-PGPUB; USPAT | OR | OFF | 2009/08/05 14:58 |
| S38 | 0 | "12442070" | US-PGPUB; USPAT | OR | OFF | 2009/08/05 15:00 |

8/ 5/ 2009 5:04:00 PM

**C:\ Documents and Settings\ fhoque\ My Documents\ EAST\ Workspaces\ 10587104-
method and system for determining the thickness of a layer of lacquer.wsp**